



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

**MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES**  
(Un tabulated).

**ALGERIA**—*Algiers*.—Month of November, 1911. Population, 172,397. Total number of deaths from all causes 322, including diphtheria 1, smallpox 1, tuberculosis 39, typhoid fever 20.

**BRAZIL**—*Pernambuco*.—Two weeks ended October 31, 1911. Population, 225,000. Total number of deaths from all causes 421, including measles 1, plague 2, smallpox 90, tuberculosis 55, typhoid fever 1.

Two weeks ended November 15, 1911. Total number of deaths from all causes 435, including measles 1, plague 1, smallpox 89, tuberculosis 51, typhoid fever 2.

**FORMOSA**.—Three weeks ended November 25, 1911. Population, 3,290,186. Total number of deaths from all causes not reported. The deaths include diphtheria 1, typhoid fever 16.

**FRANCE**—*Marseille*.—Month of November, 1911. Population, 550,619. Total number of deaths from all causes 704, including diphtheria 5, smallpox 1, tuberculosis 102, typhoid fever 13.

*Roubaix*.—Month of November, 1911. Population, 122,154. Total number of deaths from all causes 132, including scarlet fever 1, tuberculosis 20, typhoid fever 1.

**GREAT BRITAIN**.—Week ended December 9, 1911.

*England and Wales*.—The deaths registered in 77 great towns correspond to an annual rate of 15.2 per 1,000 of the population, which is estimated at 16,157,797.

*Ireland*.—The deaths registered in 21 principal town districts correspond to an annual rate of 17.7 per 1,000 of the population, which estimated at 1,149,495. The lowest rate was recorded at Sligo, viz, 4.7, and the highest at Cork, viz, 26.5 per 1,000.

*Scotland*.—The deaths registered in 8 principal towns correspond to an annual rate of 16.8 per 1,000 of the population, which is estimated at 1,710,291. The lowest rate was recorded at Edinburgh, viz, 14.1, and the highest at Greenock, viz, 24.3 per 1,000. The total number of deaths from all causes was 550, including diphtheria 8, measles 23, scarlet fever 3, typhoid fever 5.

**ITALY**—*Genoa*.—Two weeks ended December 15, 1911. Population, 272,077. Total number of deaths from all causes 110, including diphtheria 4, smallpox 1, tuberculosis 26.

*Florence*.—Month of October, 1911. Population, 232,860. Total number of deaths from all causes 351, including diphtheria 4, tuberculosis 48, typhoid fever 15.

**JAMAICA**—*Kingston*.—Month of November, 1911. Population, 50,000. Total number of deaths from all causes 106, including tuberculosis 10, typhoid fever 9.

MALTA.—Three weeks ended December 9, 1911. Population, 213,395. Total number of deaths from all casues 338, including measles 1, tuberculosis 8, typhoid fever 11.

NEW ZEALAND.—Month of September, 1911.

*Auckland*.—Estimated population, 102,676. Total number of deaths 81, including tuberculosis 6.

*Christchurch*.—Estimated population, 80,193. Total number of deaths 47, including tuberculosis 4.

*Dunedin*.—Estimated population, 64,237. Total number of deaths 59, including diphtheria 1, scarlet fever 1, tuberculosis 5.

*Wellington*.—Estimated population, 70,729. Total number of deaths 75, including diphtheria 1, tuberculosis 9.

By authority of the Secretary of the Treasury:

A. H. GLENNAN,

*Acting Surgeon General.*

*United States Public Health and Marine-Hospital Service.*

---

---

THIS PUBLICATION may be procured from the Superintendent of Documents, Government Printing Office Washington, D. C., at 5 cents per copy

---

Subscription price for the year . . . \$2

---

